



TOP > About HGC > Access


About HGC

Access

Address

4-6-1 Shirokane-dai Minato-ku Tokyo 108-8639, Japan
Human Genome Center, Institute of Medical Science, University of Tokyo

Access from the nearest station



- A** Shirokanedai (白金台) station of Namboku Line (南北線) or Mita Line (三田線). Costs: 160 yen from Meguro (目黒).
- B** From east exit of JR Meguro station (目黒) of Yamanote Line (山手線), 15 minutes by walk.
From east exit of JR Meguro station (目黒) of Yamanote Line (山手線), take the bus (No.93) for Ooi-keibajo (大井競馬場) and get off at Shirokanedai-eki-mae (白金台駅前) bus stop. Costs: 200 yen.
From east exit of JR Meguro station (目黒) of Yamanote Line (山手線), take the bus (No.77) for Sendagaya (千駄ヶ谷) or bus (No.86) for Shinbashi (新橋) and get off at Todai-Ikaken-Byoin-Nishimon (東大医科研病院西門) bus stop. Costs: 200 yen.
From east exit of JR Meguro station of Yamanote line, take bus (No.93) for ooi-keibajo and get off the bus at Shiroganedai-eki-mae bus stop.
From east exit of JR Meguro station of Yamanote line, take bus (No.77) for Sendagaya or bus (No.86) for Nihonbashi-Mitsukoshi and get off the bus at Todai-Ikaken-Byoin-Nishimon bus stop.
- C** From Shinagawa Station (品川), take bus (No.93) for Meguro (目黒) and get off at Shirokanedai-eki-mae (白金台駅前) bus stop. Costs: 200 yen.
- D** From Hiroobashi (広尾橋) bus stop near Hiroo (広尾) station of Hibiya Line, take the bus (No.77,

86) for Meguro (目黒) and get off at Todai-Ikaken-Byoin-Nishimon (東大医科研病院西門) bus stop. Costs: 200 yen.

Lunch Map

[Lunch Map around Human Genome Center is here](#)

Campus Map



1 A building of the multidisciplinary research

- 6F North: Laboratory of Genome Technology (Associate Professor: Toyomasa Katagiri)
- 7F Laboratory of Molecular Medicine (Professor: Yusuke Nakamura)
- 8F North: Laboratory of Functional Analysis in silico (Professor: Kenta Nakai)
South: Laboratory of DNA Information Analysis (Professor: Satoru Miyano)


2 Human Genome Center

- 4F Laboratory of Genome Database (Professor: Minoru Kanehisa)
Laboratory of Sequence Analysis (Professor: Minoru Kanehisa)

3 Human Genome Center

- 1F Division of Advanced Clinical Proteomics (COE Associate Professor: Yotaro Daigo)
- 2F Laboratory of Biostatistics (Professor: Katsuhisa Horimoto)

Access of Airport



• From Haneda Airport (羽田空港) to Shinagawa station (品川)

• Keikyu Line (京浜急行線): 40 min. 400 yen.

Take Keikyu Line for Shinagawa (品川). From Shinagawa station (品川), see C).

• From Narita Airport (成田空港)

• Keisei Line (京成線): 2 hours, 1150 yen. Take a Limited express for Oshiage (押上). The Keisei Line become the Asakusa Subway Line (浅草線) from Oshiage. Transfer at Mita station (三田A08/I04) to platform 3 of the Mita Line. Get off at Shirokanedai (白金台I02/N02).

• Keisei Line (京成線): 1 hour 45 min., 1250 yen. Take a Limited express or Skyliner (you will need an extra 920 yen) for Nippori (日暮里). Transfer to the Yamanote Line (山手線) and get off at Meguro station (目黒). From Meguro station (目黒), see B).

•JR line (JR): 1 hour 30 min., 3110 yen Take a Narita express for Shinagawa (品川). Note, some trains do not stop at Shinagawa station, so please confirm their route before boarding. From Shinagawa station (品川), see C).



THE UNIVERSITY OF TOKYO [The Institute of Medical Science](#)

Copyright © 2005 Human Genome Center